



W211

Copy Key With Key

CG-MB

Connect the equipment, the OBD connects the vehicle, opens the door, and keeps the vehicle voltage stable (12V).

CGDI-MB OAS 4 20 105

EIS

Read/Write Key

Compute Password

Generate EE

Auto Computer

ELV

Welcome to use!

EIS Basic Information

SSID VIN

Allow Modify

EIS number Mileage The last key used

The penultimate used

EIS Key Basic Information

	Used	Disabled
Key 1	<input type="checkbox"/>	<input type="checkbox"/>
Key 2	<input type="checkbox"/>	<input type="checkbox"/>
Key 3	<input type="checkbox"/>	<input type="checkbox"/>
Key 4	<input type="checkbox"/>	<input type="checkbox"/>
Key 5	<input type="checkbox"/>	<input type="checkbox"/>
Key 6	<input type="checkbox"/>	<input type="checkbox"/>
Key 7	<input type="checkbox"/>	<input type="checkbox"/>
Key 8	<input type="checkbox"/>	<input type="checkbox"/>

Key password

Special key

Erase password

Enable Password

Initialized Personalized

TP cleared Activated

Dealer EIS FBS4

open software, click "Read EIS Data"

CGDI-MB OAS 4 20 105

EIS

Read/Write Key

Compute Password

Generate EE

Auto Computer

ELV

EIS Basic Information

SSID: 68 FD 72 D3 VIN: [Write](#)

EIS number: 2115451408 Mileage: 0 KM

The last key used: 1

The penultimate used: 4

Allow Modify

EIS Key Basic Information

Key	Hex	Used	Disabled
Key 1	E9 B8 F4 7E 79 E2 9F 6C	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Key 2	FB 04 20 1B B2 6E 52 7A	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Key 3	D9 B2 D9 0A C4 13 EF 6C	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Key 4	09 50 B1 9F 3C 34 4F 78	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Key 5	7C 7C DD DA 57 3D 75 AD	<input type="checkbox"/>	<input type="checkbox"/>
Key 6	9F 16 79 28 B9 93 94 69	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Key 7	01 87 A4 5F 75 62 21 B1	<input type="checkbox"/>	<input type="checkbox"/>
Key 8	5C 07 CD E9 C2 A4 BD D7	<input type="checkbox"/>	<input type="checkbox"/>

Key password: [Copy](#) [Paste](#)

Special key: 7A D9 F9 5D 14 B5 F4 38

Erase password: [Get](#)

Enable Password: [Get](#)

Initialized Personalized

TP cleared Activated

Dealer EIS FBS4

[Read EIS Data](#)

[Save EIS Data](#)

[Load EIS Data](#)

[Write EIS Data](#)

[Wipe the EIS](#)

[Clear TP Protection](#)

[Activate EIS](#)

[Disable](#) [Enable](#)

[Sync W204 ELV](#)

Read success!

Read data success, show related information

CGDI-MB OAS 4 20 105

EIS

Read/Write Key

Compute Password

Generate EE

Auto Computer

ELV

Welcome to use!

Collect Data and Upload the File

EIS Type:

1.Insert the original car key into the EIS
2.Insert key into the CGMB device and wait for the collection
3.Insert the car key into the EIS 10s and dial out
4.Insert the key into the EIS
5.Unplug the key for 5 seconds and then insert the key into EIS
6.Insert the key into the CGMB device
7.Save the generated files

Query the Server and Wait For the Results

Key password

Operation Tip:
1. Please choose the way to collect the key first, and then click the 'Collect Data' button
2. After the collection is completed, click the 'Upload Data' button to upload the collected data
3. Click the 'Query Result' button and check the 'Auto Refresh' option, the program will start the automatic query.

Copy key with key
 Copy key without key

Collect Data

Upload Data

Query Result

Auto Refresh

Turn to "Compute password", choose "copy key with key", then click "Collect Data"



EIS



Read/Write Key



Compute Password



Generate EE



Auto Computer



ELV

Collect Data and Upload the File

EIS Type:

1. Insert the original car key into the EIS
2. Insert key into the CGMB device and wait for the collection
3. Insert the car key into the EIS 10s and dial out
4. Insert
5. Unpl
6. Inser
7. Save

Please select the key type

- The 1 generation key
- Other keys

OK

Query

Key pa

Operation Tip:

1. Please choose the way to collect the key first, and then click the 'Collect Data' button
2. After the collection is completed, click the 'Upload Data' button to upload the collected data
3. Click the 'Query Result' button and check the 'Auto Refresh' option, the program will start the automatic query.

 Copy key with key Copy key without key

Collect Data



Upload Data



Query Result

 Auto Refresh

Welcome to use!

choose "other keys", Click "ok"

CGDI-MB OAS 4 20 105

EIS

Read/Write Key

Compute Password

Generate EE

Auto Computer

ELV

Collect Data and Upload the File

EIS Type:

1. Insert the original car key into the EIS
2. Insert key into the CGMB device and wait for the collection
3. Insert the car key into the EIS 10s and dial out
4. Insert the key into the EIS
5. Unplug the key
6. Insert the key
7. Save the general

Copy key with key

Copy key without key

Collect Data

Upload Data

Query Result

Auto Refresh

The vehicle voltage is

Starting with key collection ...

Benz Monster

Please insert the key into EIS and click OK!

确定 取消

please insert the key into EIS and click ok



EIS



Read/Write Key



Compute Password



Generate EE



Auto Computer



ELV

Collect Data and Upload the File

EIS Type:

1. Insert the original car key into the EIS
2. Insert key into the CGMB device and wait for the collection
3. Insert the car key into the EIS 10s and dial out
4. Insert the key into the EIS
5. Unplug the
6. Insert the
7. Save the

Query the
Key password

The vehicle vol

- Copy key with key
- Copy key without key



Collect Data



Upload Data



Query Result

- Auto Refresh



Starting with key collection ...

please insert the key into the CGMB device and click ok

CGDI-MB

OAS 4 20 105

EIS

Read/Write Key

Compute Password

Generate EE

Auto Computer

F.I.V

Collect Data and Upload the File

EIS Type: [Redacted]

1. Insert the original car key into the EIS
2. Insert key into the CGMB device and wait for the collection
3. Insert the car key into the EIS 10s and dial out
4. Insert the key into the EIS
5. Unplug the key for 5 seconds and then insert the key into EIS
6. Insert the key into the CGMB device
7. Save the generated files

Query the Server and Wait For the Results

Key password [Redacted] Copy

```
The vehicle voltage is 11.77V
Being collected, do not pull out the key ...
```

Copy key with key
 Copy key without key

Collect Data

Upload Data

Query Result

Auto Refresh

68%

Starting with key collection ...

It is collecting the key data

CGDI-MB OAS 4 20 105

Collect Data and Upload the File

EIS Type:

1. Insert the original car key into the EIS
2. Insert key into the CGMB device and wait for the collection
3. Insert the car key into the EIS 10s and dial out
4. Insert the key into the EIS
5. Unplug the key
6. Insert the key in
7. Save the generated

Query the Server

Key password

The vehicle voltage is 11.73V
Being collected, do not
EIS voltage is 11.73V

Copy key with key
 Copy key without key

Collect Data

Upload Data

Query Result

Auto Refresh

100%

Starting with key collection ...

Benz Monster

Please insert the key into EIS and click OK!

确定

Key collection finished, please insert the key into EIS and click ok

- EIS
- Read/Write Key
- Compute Password
- Generate EE
- Auto Computer
- ELV

Collect Data and Upload the File

EIS Type:

1. Insert the original car key into the EIS
2. Insert key into the CGMB device and wait for the collection
3. Insert the car key into the EIS 10s and dial out
4. Insert the key into the EIS
5. Unpl
6. Inser
7. Save

Please wait 9 seconds ...

Query
Key pa

The vehicle voltage is 11.77V
Being collected, do not pull out the key ...
EIS voltage is 11.93V

- Copy key with key
- Copy key without key

Collect Data

Upload Data

Query Result

Auto Refresh

100%

Starting with key collection ...

please wait 9 seconds

CGDI-MB OAS 4 20 105

EIS

Read/Write Key

Compute Password

Generate EE

Auto Computer

ELV

Collect Data and Upload the File

EIS Type:

1. Insert the original car key into the EIS
2. Insert key into the CGMB device and wait for the collection
3. Insert the car key into the EIS 10s and dial out
4. Insert the key into the EIS
5. Unplug the key
6. Insert the key
7. Save the g

Query the S

Key passwo

The vehicle voltage
Being collected, d
EIS voltage is 11.93V

Copy key with key

Copy key without key

Collect Data

Upload Data

Query Result

Auto Refresh

100%

Starting with key collection ...

Benz Monster

Please pull out the key from the EIS, and then click OK!

确定

please pull out the key from the EIS, and then click ok

EIS

Read/Write Key

Compute Password

Generate EE

Auto Computer

ELV

Collect Data and Upload the File

EIS Type:

1. Insert the original car key into the EIS
2. Insert key into the CGMB device and wait for the collection
3. Insert the car key into the EIS 10s and dial out
- 4. Insert the key into the EIS**
5. Unplug the key for 5 seconds and then insert the key into EIS
6. Insert the Benz Monster
7. Save the

Query the Key password

The vehicle vol
Being collected,
EIS voltage is

Copy key with key

Copy key without key

Collect Data

Upload Data

Query Result

Auto Refresh

100%

Starting with key collection ...

Please insert the key into the EIS again and click OK!

确定 取消


please insert the key into the EIS again and click ok

- EIS
- Read/Write Key
- Compute Password
- Generate EE
- Auto Computer
- ELV



Collect Data and Upload the File

EIS Type:

1. Insert the original car key into the EIS
2. Insert key into the CGMB device and wait for the collection
3. Insert the car key into the EIS 10s and dial out
4. Insert the key into the EIS
5. Unplug the key for 5 seconds and then insert the key into EIS
6. Insert the key into the CGMB device
7. Save



- Copy key with key
- Copy key without key



Auto Refresh

Benz Monster

Pull out the key for 5 seconds, then insert the EIS, then click OK!

确定 取消

100%

Starting with key collection ...

Pull out the key for 5 seconds, then insert the EIS, then click ok

CGDI-MB OAS 4 20 105

EIS

Read/Write Key

Compute Password

Generate EE

Auto Computer

ELV

Collect Data and Upload the File

EIS Type:

1. Insert the original car key into the EIS
2. Insert key into the CGMB device and wait for the collection
3. Insert the car key into the EIS 10s and dial out
4. Insert the key into the EIS
5. Unplug the key for 5 seconds and then insert the key into EIS
6. Insert the key into the CGMB device
7. Save the generated files

Copy key with key

Copy key without key

Collect Data

Upload Data

Query Result Auto Refresh

100%


Starting with key collection ...

Benz Monster

Please insert the key into the CGMB device again and click OK!

确定 取消

please insert the key into the CG-MB device again and click ok



Collect success, save data, default file name

EIS

Read/Write Key

Compute Password

Generate EE

Auto Computer

ELV

Collect Data and Upload the File

EIS Type:

1. Insert the original car key into the EIS
2. Insert key into the CGMB device and wait for the collection
3. Insert the car key into the EIS 10s and dial out
4. Insert the key into the EIS
5. Unplug the key for 5 seconds and then insert the key into EIS
6. Insert
7. Save

Query Key p

The vehicle
Being coll
EIS voltage is 11.93V
Collection is done!
Processing data ...
Save the file successfully. Please upload the data to calculate PASSWORD

Copy key with key

Copy key without key

Collect Data

Upload Data

Query Result

Auto Refresh

100%

Collect data to save file successfully!

Benz Monster

Save the file successfully. Please upload the data to calculate PASSWORD

确定

Save the file successfully, click ok



EIS



Read/Write Key



Compute Password



Generate EE



Auto Computer



ELV

Collect Data and Upload the File

EIS Type:

- 1.Insert the original car key into the EIS
- 2.Insert key into the CGMB device and wait for the collection
- 3.Insert the car key into the EIS 10s and dial out
- 4.Insert the key into the EIS
- 5.Unplug the key for 5 seconds and then insert the key into EIS
- 6.Insert the key into the CGMB device
- 7.Save the generated files

Query the Server and Wait For the Results

Key password

Copy

```
The vehicle voltage is 11.77V
Being collected, do not pull out the key ...
EIS voltage is 11.93V
Collection is done!
Processing data ...
Save the file successfully. Please upload the data to calculate PASSWORD
```

 Copy key with key Copy key without key

Collect Data



Upload Data




Query Result

 Auto Refresh

Collect data to save file successfully!


Click " Upload Data "



Open the file just saved in last step



EIS



Read/Write Key



Compute Password



Generate EE



Auto Computer



ELV

Collect Data and Upload the File

EIS Type:




1. Insert the original car key into the EIS
2. Insert key into the CGMB device and wait for the collection
3. Insert the car key into the EIS 10s and dial out
4. Insert the key into the EIS
5. Unplug the key for 5 seconds and then insert the key into EIS
6. Insert
7. Save

Query

Key p

Your remain
Upload data

- Copy key with key
- Copy key without key



- Auto Refresh

Benz Monster

Upload data successfully, please click the [Query Results] button to query

确定

Upload data successfully, please click the [Query Results] button to query

Upload data successfully

CGDI-MB OAS 4 20 105

EIS

Read/Write Key

Compute Password

Generate EE

Auto Computer

ELV

Collect Data and Upload the File

EIS Type:

1. Insert the original car key into the EIS
2. Insert key into the CGMB device and wait for the collection
3. Insert the car key into the EIS 10s and dial out
4. Insert the key into the EIS
5. Unplug the key for 5 seconds and then insert the key into EIS
6. Insert the key into the CGMB device
7. Save the generated files

Copy key with key
 Copy key without key

Collect Data

Upload Data

Query the Server and Wait For the Results

Key password

Select automatic refresh to automatically query until the results are calculated, or only once to exit!

```
Querying...
--- Query times: 1 --- Calculating, please wait ---
--- Query times: 2 --- Calculating, please wait ---
```

Auto Refresh

Query Result

Querying...

Click "Query Result", please wait patiently

- EIS
- Read/Write Key
- Compute Password
- Generate EE
- Auto Computer
- ELV

Collect Data and Upload the File

EIS Type:

1. Insert the original car key into the EIS
2. Insert key into the OBD device
3. Insert the car key into the
4. Insert the key into the EIS
5. Unplug the key for 5 seconds
6. Insert the key into the CGMB
7. Save the generated files

- Copy key with key
- Copy key without key

Collect Data

Upload Data

Query Result

- Auto Refresh

Benz Monster

Computing success!

确定

Query the Server and Wait for the Results

Key password E6 10 CC 71 CC 7E E5 53 Copy

```
--- query times: 12 --- Calculating, please wait ---  
--- Query times: 13 --- Calculating, please wait ---  
--- Query times: 14 --- Calculating, please wait ---  
--- Query times: 15 --- Calculating, please wait ---  
--- Query times: 16 --- Calculating, please wait ---  
--- Query times: 17 --- Calculating, please wait ---  
--- Query times: 18 --- Calculating, please wait ---  
--- Query times: 19 --- Calculating, please wait ---  
Computing success!
```

Querying...

Computing success, click ok

- EIS
- Read/Write Key
- Compute Password
- Generate EE
- Auto Computer
- ELV

Collect Data and Upload the File


EIS Type:

- 1.Insert the original car key into the EIS
- 2.Insert key into the CGMB device and wait for the collection
- 3.Insert the car key into the EIS 10s and dial out
- 4.Insert the key into the EIS
- 5.Unplug the key for 5 seconds and then insert the key into EIS
- 6.Insert the key into the CGMB device
- 7.Save the generated files

- Copy key with key
- Copy key without key


Collect Data


Upload Data


Query Result

- Auto Refresh

Query the Server and Wait For the Results

Key password `E6 10 CC 71 C0 7E E6 53` Copy

```
--- query times: 12 --- Calculating, please wait ---  
--- Query times: 13 --- Calculating, please wait ---  
--- Query times: 14 --- Calculating, please wait ---  
--- Query times: 15 --- Calculating, please wait ---  
--- Query times: 16 --- Calculating, please wait ---  
--- Query times: 17 --- Calculating, please wait ---  
--- Query times: 18 --- Calculating, please wait ---  
--- Query times: 19 --- Calculating, please wait ---  
Computing success!
```

Query end

Copy password

CGDI-MB OAS 4 20 105

EIS

Read/Write Key

Compute Password

Generate EE

Auto Computer

ELV

Welcome to use!

EIS Basic Information

SSID: 68 FD 72 D3

VIN:

Allow Modify:

EIS number: 2115451408

Mileage: 0 KM

The last key used: 1

The penultimate used: 4

EIS Key Basic Information

	Used	Disabled
Key 1	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Key 2	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Key 3	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Key 4	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Key 5	<input type="checkbox"/>	<input type="checkbox"/>
Key 6	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Key 7	<input type="checkbox"/>	<input type="checkbox"/>
Key 8	<input type="checkbox"/>	<input type="checkbox"/>

Key password:

E6 10 CC 71 C0 7E E6 53

Special key: 7A D9 F9 5D 14 B5 F4 38

Erase password:

Enable Password:

Initialized Personalized


TP cleared Activated

Dealer EIS FBS4

Go to the EIS interface and paste



EIS



Read/Write Key



Compute Password



Generate EE



Auto Computer



ELV

EIS Basic Information

SSID	VIN	Write	Allow Modify
68 FD 72 D3			
EIS number	Mileage	The last key used	1
2115451408	0 KM	The penultimate used	4

EIS Key Basic Information

	Used	Disabled		
Key 1	E9 B8 F4 7E 79 E 9F		0 7 E6 53	Copy Paste
Key 2	FB 04 20 1B B2 6 52			
Key 3	D9 B2 D9 0A C4 1 EF		4 E F4 38	Get
Key 4	09 50 B1 9F 3C 3 4F			Get
Key 5	7C 7C DD DA 57 31 75			
Key 6	9F 16 79 28 B9 93 94 89	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Key 7	01 87 A4 5F 75 62 21 B1	<input type="checkbox"/>	<input type="checkbox"/>	
Key 8	5C 07 CD E9 C2 A4 BD D7	<input type="checkbox"/>	<input type="checkbox"/>	

Initialized Personalized
 TP cleared Activated
 Dealer EIS FBS4

Read EIS Data

Save EIS Data

Load EIS Data

Write EIS Data

Wipe the EIS


Clear TP Protection

Activate EIS

Disable


Enable

Sync W204 ELV



Save file successfully!

Save EIS data



Turn to "Generate EE", Load EIS file just saved

CGDI-MB OAS 4 20 105

Load the EIS File and Confirm the PASSWORD

SSID: 68 FD 72 D3 VIN: [Redacted]

Key password: E6 10 CC 71 C0 7E E6 53

Select the Key File Format and Location to Generate

1. Select the key file format
2. Select generate key position
3. Click the [Generate Key File] button to generate

V041 V051

Key 1 Key 2 Key 3 Key 4

Key 5 Key 6 Key 7 Key 8 Select All

Loading EIS file...
Load EIS file successfully!

Load EIS file successfully!

Load EIS File

Generate Key File

EIS

Read/Write Key

Compute Password

Generate EE

Auto Computer

ELV

Check the information and click "Generate key file"

CGDI-MB OAS 4 20 105

EIS

Read/Write Key

Compute Password

Generate EE

Auto Computer

ELV

Load the EIS File and Confirm the PASSWORD

SSID: 68 FD 72 D3
VIN: [REDACTED]

Key password: E6 10 CC 71 C0 7E E6 53

Select the Key File Format and Location to Generate

1. Select the key file format
2. Select generate key position
3. Click the Generate

Key 1

Key 5

Load EIS File

Generate Key File

Benz Monster

The key file was generated successfully!

确定

--- Query times: 3 --- Generating time: 1 minutes ---

--- Query times: 4 --- Generating, please wait ---

--- Query times: 5 --- Generating, please wait ---

Generating the key file, please wait ...

Load EIS file successfully!

Generated file successfully and save the file



Put into new key

CGDI-MB OAS 4 20 105

Key Basic Information

SSID: [redacted] Position: [redacted]

Available times: [redacted] State: [redacted] **Activate**

Times used: [redacted] Version: [redacted]

Key password: [redacted] **Copy** [redacted] **Copy**

Interface:

Infrared
 NEC Adapter

Buttons: Read Key/Chip, Reset, Open/Write, Current hash, Save BE File


Memory Dump:

00000000	00 00 00 00 00 00
00000010	00 00 00 00 00 00
00000020	00 00 00 00 00 00
00000030	00 00 00 00 00 00
00000040	00 00 00 00 00 00
00000050	00 00 00 00 00 00
00000060	00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
00000070	00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
00000080	00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
00000090	00 00 00 00 00 00 00 00 00 00 00 00 00 00 00

Modal Dialog: Benz Monster
Reset operation succeed!
确定

Reset operation succeed!

Click "Rest/wipe", prompt "Reset operation succeed, click ok



选择一未使用的钥匙位数据并打开

- EIS
- Read/Write Key
- Compute Password
- Generate EE
- Auto Computer
- ELV

Key Basic Information

SSID	Position
Available times	State Activate
Times used	Version
Key password Copy	Copy

Interface:

Infrared

NEC Adapter

- Read Key/Chip
- Reset
- Open/Write
- Current hash
- Save BE File

```
00000000 01 E6 10 CC 7  C0 . . . q . ~ . S
00000010 B9 94 BC C9 B  F3 . . . . . C .
00000020 F7 76 C8 61 3  29 v . a > ) : . )
00000030 BF 35 CF 26 6  2E 5 . & b . g . +
00000040 13 9A 02 13 3  52 . . . 2 R . . w
00000050 BC 25 11 1F C  4B 65 92 3F F8 B5 6D 1B 7C C4 06 % . . . K e . ?
00000060 61 6A 60 7B 38 . . . . . a j { 8 . . x F
00000070 FF FF FF AD 75 3D 57 DA DD 7C 7C 7F FF 00 00 02 . . . . u = W . .
00000080 FF FF FF FF FF FF FF 4A 72 5E 84 6C FD 72 D3 . . . . . J
00000090 01 01 01 01 FF FF FF FF 73 0C FF FF FF FF 04 FC . . . . . s
```

Benz Monster

Write success!

确定

Write success!

write success



Insert the new key into EIS and start

CGDI-MB OAS 4 20 105

EIS

Read/Write Key

Compute Password

Generate EE

Auto Computer

ELV

EIS Basic Information

SSID: 68 FD 72 D3 VIN: Write

EIS number: 2115451408 Mileage: 0 KM

The last key used: 5

The penultimate used: 1

Allow Modify

EIS Key Basic Information

Key	Hex	Used	Disabled
Key 1	45 3B 69 AC 87 74 A6 AC	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Key 2	FB 04 20 1B B2 6E 52 7A	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Key 3	D9 B2 D9 0A C4 13 EF 6C	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Key 4	09 50 B1 9F 3C 34 4F 78	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Key 5	1B 6D B5 F8 3F 92 65 4B	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Key 6	9F 16 79 28 B9 93 94 69	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Key 7	01 87 A4 5F 75 62 21 B1	<input type="checkbox"/>	<input type="checkbox"/>
Key 8	5C 07 CD E9 C2 A4 BD D7	<input type="checkbox"/>	<input type="checkbox"/>

Key password: Copy Paste

Special key: 7A D9 F9 5D 14 B5 F4 38

Erase password: Get

Enable Password: Get

Initialized Personalized
 TP cleared Activated
 Dealer EIS FBS4

Read EIS Data

Save EIS Data

Load EIS Data

Write EIS Data

Wipe the EIS

Clear TP Protection

Activate EIS

Disable Enable

Sync W204 ELV

Read success!

Read EIS again, 钥匙位提示已使用, 结合可启动, 匹配成功!